

ROCKET[®] ESPRESSO MILANO





ROCKET ESPRESSO

Rocket Espresso produces the finest espresso machines in the tradition of 'Fatto a Mano' in Italy. Our small team of craftsmen produce both premium domestic and commercial espresso machines, beautifully made with meticulous care and attention to detail.



More importantly, Rocket Espresso machines will deliver the finest espresso in the cup, time after time, with every model designed to meet the needs of today's most exacting espresso customer.

SOTTO BANCO fully saturated group // under counter machine







Sotto Banco fully saturated group // under counter machine

GROUPS	2	3
HOT WATER SPOUT	1	2
TECHNOLOGY	Multi Boiler	Multi Boiler
PORTION CONTROL	Automatic	Automatic
COFFEE BOILER	2 x 1.5 l	3 x 1.5 l
MAIN BOILER	91	9 l
POWER	5.7 kW	6.9 kW
WIDTH (mm)	890	1,300
DEPTH (mm)	386	386
HEIGHT (mm)	355 (tall version: 400)	355 (tall version: 400)
UNDER COUNTER MODULE (mm)	450 x 512 x 740 (width x depth x height)	
BODYWORK	Stainless steel AISI 304	
BOILER MATERIAL	Stainless steel AISI 316L	
THERMAL CONTROL	PID / Pressure transducer	
STEAM WAND	Stainless steel + cool touch	
CUP HEIGHT (mm)	85 (tall version: 130)	
SHOT TIMER	Standard	

Opposite page: the Sotto Banco features an under counter module with a 4.3" touch screen display.

R 9V PRESSURE PROFILING

fully saturated group // multi boiler technology







R 9V PRESSURE PROFILING fully saturated group *//* multi boiler technology


GROUPS	2	3
TECHNOLOGY	Multi Boiler with Saturated Groups	
PROGRAMMABLE PRESSURE PROFILE SYSTEM	5 preset programs (can be mod	ified) + 1 semi-automatic setting
PERMANENT MAGNETS VOLUMETRIC PUMPS	Star	dard
DIGITAL TOUCH DISPLAY	Star	dard
COFFEE BOILER	2 x 1.9 l	3 x 1.9 l
MAIN BOILER	9.0 l	12.0 l
POWER	5.6 kW	7.4 kW
WIDTH (mm)	760	980
DEPTH (mm)	590	590
HEIGHT* (mm)	578	578
BODYWORK**	Stainless steel AISI 304 (I	olack or white by request)
BOILER MATERIAL	Stainless st	eel AISI 316L
THERMAL CONTROL	PID / Pressur	re transducer
CUP HEIGHT (mm)	Can be set betweer	n 80 mm and 130 mm
SHOT TIMER	Star	dard

*Height includes 43 mm for R 9V style steam wand.

R 9 fully saturated group // multi boiler technology







R 9 fully saturated group *//* multi boiler technology

GROUPS	2	3	4
TECHNOLOGY	Multi Boiler	Multi Boiler	Multi Boiler
PORTION CONTROL	Automatic	Automatic	Automatic
COFFEE BOILER	2 x 1.9 l	3 x 1.9 l	4 x 1.9 l
MAIN BOILER	91	12 l	12 l
POWER	5.9 kW	7.7 kW	8.9 kW
WIDTH (mm)	760	980	1,200
DEPTH (mm)	590	590	590
HEIGHT (mm)	497	497	497
BODYWORK*	Stainless steel AISI 304 (black or white by request)		
BOILER MATERIAL	Stainless steel AISI 316L		
THERMAL CONTROL	PID / Pressure transducer		
STEAM WANDS	Stainless steel + cool touch		
STEAM VALVES	Lever operated		
CUP HEIGHT (mm)	86		
SHOT TIMER	Standard		

*Side panels, upon request, available also in matt black or matt white. Opposite page: the R 9 features fully saturated group and PID controlled multi boiler technology inside.

RE Doppia fully saturated group // dual boiler









RE Doppia fully saturated group // dual boiler

GROUPS	2	3
TECHNOLOGY	Dual Boiler	Dual Boiler
PORTION CONTROL	Automatic	Automatic
COFFEE BOILER	4 l	6.3 l
MAIN BOILER	91	12 l
POWER	5 kW	5.8 kW
WIDTH (mm)	848	1,060
DEPTH (mm)	603	603
HEIGHT (mm)	500	500
BODYWORK*	Stainless steel AISI 304	
BOILER MATERIAL	Stainless steel AISI 316L	
THERMAL CONTROL	PID / Pressure transducer	
STEAM WANDS	Stainless steel + cool touch	
CUP HEIGHT (mm)	85 (tall version: 125)	
SHOT TIMER	Standard	

*Side panels, upon request, available also in matt black or matt white.

Opposite page: the RE Doppia machine features a 4.3" touch screen display and fully saturated group technology inside.

REATIMER thermo siphon heat exchanger



REATIMER thermo siphon heat exchanger

GROUPS	2	3	4
TECHNOLOGY	Thermosiphon	Thermosiphon	Thermosiphon
PORTION CONTROL	Automatic	Automatic	Automatic
BOILER	14.5 l	23.0 l	28.0 l
POWER*	4.3 kW	5.3 kW	6.3 kW
WIDTH (mm)	760	980	1,200
DEPTH (mm)	585	585	585
HEIGHT (mm)	491	491	491
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch		
BOILER MATERIAL	Copper		
THERMAL CONTROL	Pressure transducer		
STEAM WANDS	Stainless steel + cool touch		
CUP HEIGHT (mm)	86 (tall version: 120)		
SHOT TIMER	Standard		

*Special power ratings available by request

BOXER EVO thermosiphon heat exchanger



BOXER EVO thermosiphon heat exchanger

BOXER Evo includes all the specifications of the standard BOXER, but with additional shot timer and soft-touch buttons that elevate the barista experience even further. Designed to produce espresso without compromise whilst retaining the style and finish not ordinarily found at this level of commercial espresso machines.

GROUPS	2	3
TECHNOLOGY	Thermosiphon	
PORTION CONTROL	Autor	natic
BOILER	13.2 l	23 l
POWER*	4.3 kW	5 kW
DIMENSIONS	630W x 490D x 471H mm	850W x 490D x 471H mm
BODYWORK**	Stainless steel AISI 304 / Black	soft touch / White soft touch
BOILER MATERIAL	Сор	per
THERMAL CONTROL	Sirai Pres	sure Stat
STEAM WANDS	Stainless stee	l + cool touch
CUP HEIGHT (mm)	86 (tall version: 120)	
SHOT TIMER	Standard	

*Special power ratings available by request

BOXER thermosiphon heat exchanger



BOXER thermosiphon heat exchanger

BOXER is a premium compact machine combing the specifications necessary to produce espresso without compromise yet retaining both the style and finish not normally found in the compact machine market. Contemporary design, BOXER performance, Rocket Espresso.

GROUPS	1	2	3
TECHNOLOGY	Thermosiphon	Thermosiphon	Thermosiphon
PORTION CONTROL	Automatic	Automatic	Automatic
BOILER	8.3 l	13.2 l	23 l
POWER*	2.3 kW	4.3 kW	5 kW
DIMENSIONS	480W x 490D x 471H mm	630W x 490D x 471H mm	850W x 490D x 471H mm
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch		
BOILER MATERIAL	Copper		
THERMAL CONTROL	Sirai Pressure Stat		
STEAM WANDS	Stainless steel + cool touch		
CUP HEIGHT (mm)	86 (tall version: 120)		
SHOT TIMER	By request		

*Special power ratings available by request

BOXER TANK semi compact heat exchanger





BOXER TANK semi compact heat exchanger

BOXER Tank is a versatile single group espresso machine that can be connected to a water supply or use the built-in 3 liter water reservoir. A smaller-sized machine ideal for commercial settings where space is at a premium, but with an oversized boiler capable of handling peak service requirements.

GROUPS	1
TECHNOLOGY	Thermosiphon
PORTION CONTROL	Automatic
BOILER	51
POWER	1.75 kW
DIMENSIONS	480 x 490 x 471 mm (width x depth x height)
BODYWORK**	Stainless steel AISI 304 / Black soft touch / White soft touch
BOILER MATERIAL	Copper
WATER TANK CAPACITY	31
WATER FEED	Hard plumbing & reservoir
CUP HEIGHT (mm)	86 (tall version: 120)

Macinatore Super Fausto

SUPER FAUSTO, big brother to FAUSTO, is a new addition to the Rocket Espresso grinder range designed for commercial settings, in cafes and restaurants where speed and effortless performance are essential.

Equipped with commercial quality 75mm flat burrs, allowing grinding productivities of 4-5 grams/second.

Exceptionally long durability is guaranteed with the Red Speed coated burrs, grinding up to 2,000 - 2,500 kg of coffee before showing sians of wear.

A newly developed 2.8" digital touch screen with shot counter and three programmable portion buttons allow for quick adjustments and effortless portion control.

Close to silent operation, ideal for noise sensitive environments.

SUPER FAUSTO FEATURES

- Grinding: On Demand
- Portion control: 3 automatic portions
- Manual continuous grinding
- Patented stepless micrometric grind setting system
- Patented anti-clump & electrostaticity system
- Display: 2.8" digital touch screen with shot counter and brightness adjustability
- Bean container: 540 g
- Grinding blades: Plane 75 mm Red Speed coated burrs
- Grinding capacity: 4 g to 5 g / second
- Motor: 230V / 50 or 115V / 60 500 W - single phase, RPM 1,360
- Bodywork: Die cast aluminium

DIMENSIONS

- 175 x 282 x 480* mm (width x depth x height)
- Weight: 11 kg
- *includes bean container









Macinatore Fausto

The FAUSTO grinder brings all of the features and functionality professional baristas love to the kitchen, but in a more compact form.

Equipped with commercial quality 65 mm flat burrs, FAUSTO grinds quickly and accurately with an easy to dial in stepless micrometric grind setting system.

Now with an improved digital touch screen interface (taken from SUPER FAUSTO) and quieter operation, ideally suited to noise sensitive environments.

Polished silver or matte black finishing options to perfectly compliment your espresso machine.

FAUSTO FEATURES

- Grinding: On Demand
- Portion control:
 3 automatic portions
- Manual continuous grinding
- Patented stepless micrometric grind setting system
- Patented anti-clump & electrostaticity system
- Display: 2.8" digital touch screen with shot counter and brightness adjustability
- Bean container: 540 g
- Grinding blades: Plane 65 mm diameter – tempered steel
- Grinding capacity:
 2.7 g to 3.7 g / second
- Motor: 230V / 50 or 115V / 60
 500 W single phase, RPM 1,360
- Bodywork: Die cast aluminium

DIMENSIONS

- 172 x 282 x 445* mm (width x depth x height)
- Weight: 10 kg











ROCKET MILANO S.R.L. Via Curiel 13 20060 Liscate Milan, Italy

+39 02 953 513 34 www.rocket-espresso.com